

Robust Image Segmentation Using FCM With Spatial Constraints Based on New Kernel-Induced Distance Measure

Songcan Chen and Daoqiang Zhang

Abstract—Fuzzy c-means clustering (FCM) with spatial constraints (FCM_S) is an effective algorithm suitable for image segmentation. Its effectiveness contributes not only to the introduction of fuzziness for belongingness of each pixel but also to exploitation of spatial contextual information. Although the contextual information can raise its insensitivity to noise to some extent, FCM_S still lacks enough robustness to noise and outliers and is not suitable for revealing non-Euclidean structure of the input data due to the use of Euclidean distance (L_2 norm). In this paper, to overcome the above problems, we first propose two variants, FCM_S₁ and FCM_S₂, of FCM_S to aim at simplifying its computation and then extend them, including FCM_S, to corresponding robust kernelized versions KFCM_S, KFCM_S₁ and KFCM_S₂ by the kernel methods. Our main motives of using the kernel methods consist in: inducing a class of robust non-Euclidean distance measures for the original data space to derive new objective functions and thus clustering the non-Euclidean structures in data; enhancing robustness of the original clustering algorithms to noise and outliers, and still retaining computational simplicity. The experiments on the artificial and real-world datasets show that our proposed algorithms, especially with spatial constraints, are more effective.

Index Terms—Fuzzy C-means clustering (FCM), image segmentation, kernel-induced distance measures, kernel methods, robustness, spatial constraints.

I. INTRODUCTION

IMAGE segmentation plays an important role in a variety of applications such as robot vision, object recognition, and medical imaging [1]–[3]. In the last decades, fuzzy segmentation methods, especially the fuzzy c-means algorithm (FCM) [4], have been widely used in the image segmentation [26], [27] and such a success chiefly attributes to the introduction of fuzziness for the belongingness of each image pixel. This allows for the ability to make the clustering methods able to retain more information from the original image than the crisp or hard seg-

mentation methods [5]. Clustering is used to partition a set of given observed input data vectors or image pixels into c -clusters so that members of the same cluster are similar to one another than to members of other clusters where the number, c , of clusters is usually predefined or set by some validity criterion or *a priori* knowledge.

Generally, clustering methods can be categorized into [25] hierarchical, graph theoretic, decomposing a density function, and minimizing an objective function. In this paper, we will focus on clustering methods by minimization of objective function and apply them to segment images.

Mathematically, the standard FCM objective function of partitioning a dataset $\{\mathbf{x}_k\}_{k=1}^N \subset R^d$ into c clusters is given by

$$J_m = \sum_{i=1}^c \sum_{k=1}^N u_{ik}^m \|\mathbf{x}_k - \mathbf{v}_i\|^2 \quad (1a)$$

where $\|\cdot\|$ stands for the Euclidean norm. Equivalently, (1a) can, in an inner or scalar product form, be rewritten as

$$J_m = \sum_{i=1}^c \sum_{k=1}^N u_{ik}^m (\mathbf{x}_k^T \mathbf{x}_k - 2\mathbf{x}_k^T \mathbf{v}_i + \mathbf{v}_i^T \mathbf{v}_i) \quad (1b)$$

where $\{\mathbf{v}_i\}_{i=1}^c (\subset R^d)$ are the centroids or prototypes of the clusters, T denotes matrix transpose, the parameter m is a weighting exponent on each fuzzy membership and the array $U = [u_{ik}]$ is a fuzzy partition matrix satisfying

$$U \in \left\{ u_{ik} \in [0, 1] \left| \sum_{i=1}^c u_{ik} = 1, \forall k \text{ and } 0 < \sum_{k=1}^N u_{ik} < N, \forall i \right. \right\}. \quad (2)$$

Although the original intensity-based FCM algorithm functions well on segmenting most noise-free images, it fails to segment images corrupted by noise, outliers, and other imaging artifacts, such as the intensity inhomogeneity induced by the radio-frequency coil in magnetic resonance imaging (MRI), and thus, leads to its nonrobust results mainly due to 1) the use of nonrobust Euclidean distance and 2) disregard of spatial contextual information in image. To deal with the first problem, some researchers adopted so-called robust distance measures, such as L_p norms ($0 < p \leq 1$) [28]–[30], to replace the L_2 norm in the FCM objective function reducing the effect of outliers on clustering results, and while many other algorithms have also been proposed to deal with the second problem by incorporating spatial information into original FCM objective function [5]–[10],[33], e.g., Ahmed *et al.* modified FCM objective func-

Manuscript received March 8, 2003; revised October 16, 2003. This paper was supported by the National Natural Science Foundation of China under Grant No. 60271017, the Jiangsu Science Foundation under Grant No. BK2002092, Jiangsu Science Foundation Key Project (2004), the *QingLan* Project and the Returnee's Foundation of CSC. This paper was recommended by Associate Editor W. Pedrycz.

S. Chen is with the Department of Computer Science and Engineering, Nanjing University of Aeronautics and Astronautics, Nanjing, 210016 P.R.C., and also with the National Laboratory of Pattern Recognition, Institute of Automation, Chinese Academy of Sciences, Beijing, 100080 P.R.C. (e-mail: s.chen@nuaa.edu.cn).

D. Zhang is with the Department of Computer Science and Engineering, Nanjing University of Aeronautics and Astronautics, Nanjing, 210016 P.R.C. (e-mail: dqzhang@nuaa.edu.cn).

Digital Object Identifier 10.1109/TSMCB.2004.831165

tion by incorporating spatial constraints (called as FCM_S later) [9]. However, besides the increase in computational time due to such introduction of spatial constraints, two problems with the FCM_S algorithm still suffer. One is insufficient robustness to outliers as shown in our experiments, and the other is difficult to cluster non-Euclidean structure in data such as nonspherical shape clusters.

In this paper, we first propose two variants, FCM_S₁ and FCM_S₂, of FCM_S in [9] with an intent to simplify the computation of parameters and then extend them, together with the original FCM_S, to corresponding kernelized versions, KFCM_S, KFCM_S₁ and KFCM_S₂, by the kernel function substitution. Goals of adopting the kernel functions aim

- 1) to induce a class of new robust distance measures for the input space and then replace nonrobust L_2 measure to cluster data or segment images more effectively;
- 2) to more likely reveal inherent non-Euclidean structures in data;
- 3) to retain simplicity of computation.

The kernel methods [11]–[16] are one of the most researched subjects within machine-learning community in recent years and has been widely applied to pattern recognition and function approximation. Typical examples are support vector machines [12]–[14], kernel Fisher linear discriminant analysis (KFLDA) [15], kernel principal component analysis (KPCA) [16], kernel perceptron algorithm [24], just name a few. The fundamental idea of the kernel method is to first transform the original low-dimensional inner-product input space into a higher (possibly infinite) dimensional feature space through some nonlinear mapping where complex nonlinear problems in the original low-dimensional space can more likely be linearly treated and solved in the transformed space according to the well-known Cover's theorem [17]. However, usually such mapping into high-dimensional feature space will undoubtedly lead to an exponential increase of computational time, i.e., so-called curse of dimensionality. Fortunately, adopting kernel functions to substitute an inner product in the original space, which exactly corresponds to mapping the space into higher-dimensional feature space, is a favorable option. Therefore, the inner product form in (1b) leads us to applying the kernel methods to cluster complex data [21], [22]. However, compared to the approaches presented in [21], [22], a major difference of our proposed approach in this paper is that we do not adopt so-called dual representation for each centroid, i.e., a linear combination of all given dataset samples, but directly transform all the centroids in the original space, together with given data samples, into high-dimensional feature space with an (implicitly) mapping. Such a direct transformation brings us the following benefits:

- 1) inducing a class of robust non-Euclidean distance measures if we employ robust kernels;
- 2) inheriting the computational simplicity of the FCM;
- 3) interpreting clustering results intuitively;
- 4) coping with data set with missing values easily [31].

The proposed algorithms, especially with the spatial constraints, are shown to be more robust to noise and outlier in image segmentation than the algorithms without the kernel substitution.

The rest of this paper is organized as follows. In Section II, the conventional spatial FCM algorithm (FCM_S) for image segmentation is introduced and two new low-complexity variants are derived. In Section III, we obtain a group of kernel fuzzy clustering algorithms with spatial constraints for image segmentation by first replacing the Euclidean norm in the objective functions with kernel-induced non-Euclidean distance measures and then minimizing these new objective functions. The experimental comparisons are presented in Section IV. Finally, Section V gives our conclusions and several issues for future work.

II. FUZZY CLUSTERING WITH SPATIAL CONSTRAINTS (FCM_S) AND ITS VARIANTS

In [9], an approach was proposed to increase the robustness of FCM to noise by directly modifying the objective function defined in (1) as follows:

$$J_m = \sum_{i=1}^c \sum_{k=1}^N u_{ik}^m \|\mathbf{x}_k - \mathbf{v}_i\|^2 + \frac{\alpha}{N_R} \sum_{i=1}^c \sum_{k=1}^N u_{ik}^m \sum_{r \in N_k} \|\mathbf{x}_r - \mathbf{v}_i\|^2 \quad (3)$$

where N_k stands for the set of neighbors falling into a window around \mathbf{x}_k and N_R is its cardinality. The parameter α in the second term controls the effect of the penalty. In essence, the addition of the second term in (3), equivalently, formulates a spatial constraint and aims at keeping continuity on neighboring pixel values around \mathbf{x}_k . By an optimization way similar to the standard FCM algorithm, the objective function J_m can be minimized under the constraint of U as stated in (2). A necessary condition on u_{ik} for (3) to be at a local minimum is

$$u_{ik} = \frac{\left(\|\mathbf{x}_k - \mathbf{v}_i\|^2 + \frac{\alpha}{N_R} \sum_{r \in N_k} \|\mathbf{x}_r - \mathbf{v}_i\|^2 \right)^{-\frac{1}{(m-1)}}}{\sum_{j=1}^c \left(\|\mathbf{x}_k - \mathbf{v}_j\|^2 + \frac{\alpha}{N_R} \sum_{r \in N_k} \|\mathbf{x}_r - \mathbf{v}_j\|^2 \right)^{-\frac{1}{(m-1)}}} \quad (4)$$

$$\mathbf{v}_i = \frac{\sum_{k=1}^n u_{ik}^m \left(\mathbf{x}_k + \frac{\alpha}{N_R} \sum_{r \in N_k} \mathbf{x}_r \right)}{(1 + \alpha) \sum_{k=1}^n u_{ik}^m} \quad (5)$$

A shortcoming of (4) and (5) is that computing the neighborhood terms will take much more time than FCM. In this section, we will present two low-complexity modifications or variants to (3). First, we notice that by simple manipulation, $(1/N_R) \sum_{r \in N_k} \|\mathbf{x}_r - \mathbf{v}_i\|^2$ can equivalently be written as $(1/N_R) \sum_{r \in N_k} \|\mathbf{x}_r - \bar{\mathbf{x}}_k\|^2 + \|\bar{\mathbf{x}}_k - \mathbf{v}_i\|^2$, where $\bar{\mathbf{x}}_k$ is a means of neighboring pixels lying within a window around \mathbf{x}_k . Unlike (3), $\bar{\mathbf{x}}_k$ can be computed in advance, thus, the clustering time can be saved when $(1/N_R) \sum_{r \in N_k} \|\mathbf{x}_r - \mathbf{v}_i\|^2$ in (3) is replaced with $\|\bar{\mathbf{x}}_k - \mathbf{v}_i\|^2$. Hence, the simplified objective functions can be rewritten as

$$J_m = \sum_{i=1}^c \sum_{k=1}^N u_{ik}^m \|\mathbf{x}_k - \mathbf{v}_i\|^2 + \alpha \sum_{i=1}^c \sum_{k=1}^N u_{ik}^m \|\bar{\mathbf{x}}_k - \mathbf{v}_i\|^2 \quad (6)$$

Similarly, we can obtain the following solution by minimizing (6)

$$u_{ik} = \frac{(\|\mathbf{x}_k - \mathbf{v}_i\|^2 + \alpha\|\bar{\mathbf{x}}_k - \mathbf{v}_i\|^2)^{-\frac{1}{(m-1)}}}{\sum_{j=1}^c (\|\mathbf{x}_k - \mathbf{v}_j\|^2 + \alpha\|\bar{\mathbf{x}}_k - \mathbf{v}_j\|^2)^{-\frac{1}{(m-1)}}} \quad (7)$$

$$\mathbf{v}_i = \frac{\sum_{k=1}^n u_{ik}^m (\mathbf{x}_k + \alpha\bar{\mathbf{x}}_k)}{(1 + \alpha) \sum_{k=1}^n u_{ik}^m}. \quad (8)$$

Therefore, (4) and (5) obtain simplification to some extent. In order to enhance robustness of clustering, $\bar{\mathbf{x}}_k$ can be considered to take as median of the neighbors within a specified window around \mathbf{x}_k . Similarly from (7) and (8), we can see that α controls the tradeoff between the original image and the corresponding mean- or median-filtered image. When α is set to zero, the algorithm is equivalent to the original FCM, while α approaches infinite, the algorithm acquires the same effect as the original FCM on the mean or median filtered image, respectively.

For convenience of notation later, we will name the algorithm using (4) and (5) FCM_S, the ones using (7) and (8) with mean and median filtering FCM_S1 and FCM_S2, respectively. The above algorithms can uniformly be summarized in the following steps.

Algorithm 1

- Step 1) Fix the number c of these prototypes or clusters and then select initial prototypes (centroids), and set $\varepsilon > 0$ to a very small value.
- Step 2) For FCM_S1 and FCM_S2 only, compute the mean or median filtered image.
- Step 3) Update the partition matrix using (4) (FCM_S) or (7) (FCM_S1 and FCM_S2).
- Step 4) Update the centroids using (5) (FCM_S) or (8) (FCM_S1 and FCM_S2).

Repeat Steps 3)–4) until the following termination criterion is satisfied:

$$\|\mathbf{V}_{new} - \mathbf{V}_{old}\| < \varepsilon$$

where $\mathbf{V} = [\mathbf{v}_1, \mathbf{v}_2, \dots, \mathbf{v}_c]$ are the vectors of cluster centroids.

III. FUZZY C-MEANS WITH SPATIAL CONSTRAINTS BASED ON KERNEL-INDUCED DISTANCE

A. Kernel Methods and Kernel Functions

Let $\Phi : \mathbf{x} \in X \subseteq R^d \mapsto \Phi(\mathbf{x}) \in F \subseteq R^H (d \ll H)$ be a nonlinear transformation into a higher (possibly infinite)-dimensional feature space F . In order to explain how to use the kernel methods, let us recall a simple example [13]. If $\mathbf{x} = [x_1, x_2]^T$ and $\Phi(\mathbf{x}) = [x_1^2, \sqrt{2}x_1x_2, x_2^2]^T$, where x_i

is the i th component of vector \mathbf{x} . Then the inner product between $\Phi(\mathbf{x})$ and $\Phi(\mathbf{y})$ in the feature space F are: $\Phi(\mathbf{x})^T \Phi(\mathbf{y}) = [(x_1)^2, \sqrt{2}x_1x_2, (x_2)^2]^T [(y_1)^2, \sqrt{2}y_1y_2, (y_2)^2] = (\mathbf{x}^T \mathbf{y})^2 = K(\mathbf{x}, \mathbf{y})$. Thus, in order to compute the inner products in F , we can use kernel representation $K(\mathbf{x}, \mathbf{y})$, without explicitly using transformation or mapping Φ (thus, overcoming curse of dimensionality). It is a direct consequence from [11]: every linear algorithm that only uses inner products can be easily extended to a nonlinear version only through the kernels satisfying the Mercer's conditions [11]. In the following are given typical radial basis function (RBF) and polynomial kernels:

$$K(\mathbf{x}, \mathbf{y}) = \exp \left(- \frac{\left(\sum_{i=1}^d |x_i - y_i|^a \right)^b}{\sigma^2} \right) \quad (9)$$

where d is the dimension of vector x ; $a \geq 0$; $1 \leq b \leq 2$. Obviously, $K(\mathbf{x}, \mathbf{x}) = 1$ for all \mathbf{x} and the above RBF kernels, and a polynomial with degree of p

$$K(\mathbf{x}, \mathbf{y}) = (\mathbf{x}^T \mathbf{y} + 1)^p \quad (10)$$

From (1b), we can now use kernel functions to substitute the inner products there to realize an implicit mapping into some feature space so that their corresponding kernelized versions are constructed. Actually, there are two ways to kernelize FCM and FCM_S: one is to view every centroid as a mapped point in the feature space and use their dual forms, i.e., a linear combination of all data samples, to replace original centroids to get clustering results in the feature space but not in the original space as in [21], [22]. In this way, the resulting clustering are not easily interpreted intuitively in the original space. The other [18] is to still view every centroid as a data point in the original space like given samples and directly transform them, together with the data samples, into the feature spaces and then carry out clustering. A advantage of doing so is that clustering is performed still in the original space and thus the results can easier be interpreted intuitively as will be done below. In this paper, we adopt the latter kernelizing way.

B. FCM Based on Kernel-Induced Distance (KFCM)

With the above formulations, we are now in position to construct the kernelized version of the FCM algorithm and modify its objective function with the mapping Φ as follows:

$$J_m^\Phi = \sum_{i=1}^c \sum_{k=1}^N u_{ik}^m \|\Phi(\mathbf{x}_k) - \Phi(\mathbf{v}_i)\|^2. \quad (11)$$

Now through the kernel substitution, we have

$$\begin{aligned} \|\Phi(\mathbf{x}_k) - \Phi(\mathbf{v}_i)\|^2 &= (\Phi(\mathbf{x}_k) - \Phi(\mathbf{v}_i))^T (\Phi(\mathbf{x}_k) - \Phi(\mathbf{v}_i)) \\ &= \Phi(\mathbf{x}_k)^T \Phi(\mathbf{x}_k) - \Phi(\mathbf{v}_i)^T \Phi(\mathbf{x}_k) \\ &\quad - \Phi(\mathbf{x}_k)^T \Phi(\mathbf{v}_i) + \Phi(\mathbf{v}_i)^T \Phi(\mathbf{v}_i) \\ &= K(\mathbf{x}_k, \mathbf{x}_k)K(\mathbf{v}_i, \mathbf{v}_i) - 2K(\mathbf{x}_k, \mathbf{v}_i) \end{aligned} \quad (12)$$

in this way, a new class of non-Euclidean distance measures in original data space (also a squares norm in the feature space)

are obtained. Obviously, different kernels will induce different measures for the original space, which leads to a new family of clustering algorithms. In particular, if the kernel function $K(\mathbf{x}, \mathbf{y})$ is taken as the RBF in (9), (12) can be simplified to $2(1 - K(\mathbf{x}_k, \mathbf{v}_i))$. Furthermore, for sake of convenience of manipulation below and robustness, in this paper, we only consider the Gaussian RBF(GRBF) kernel with $a = 2$ and $b = 1$ in (9) (in fact, by means of the Huber's robust statistics [19], [23], we can prove that the measures based on (9) are robust but those based on polynomials are not), then (11) can be rewritten as

$$J_m^\Phi = 2 \sum_{i=1}^c \sum_{k=1}^N u_{ik}^m (1 - K(\mathbf{x}_k, \mathbf{v}_i)). \quad (13)$$

Therefore, the algorithm in [23] immediately becomes a special case, where the distance measure is not induced from a viewpoint of the kernel but becomes a direct definition. In addition, when the parameter σ in (9) is a sufficient large positive constant, we can again obtain the FCM and its robust versions such as the L_p -norm-based clustering algorithms [28]–[30] because from (9), we have $K(\mathbf{x}, \mathbf{y}) \approx 1 - [(-\sum_{i=1}^d |x_i - y_i|^a)^b / (\sigma^2)]$ and thus $J_m^\Phi \approx (2/\sigma^2) \sum_{i=1}^c \sum_{k=1}^N u_{ik}^m (\sum_{j=1}^d |x_{kj} - v_{ij}|^a)^b$ in terms of (13). Obviously if $a = p$ and $b = (1/p)$, J_m^Φ reduces to the objective function based on the L_p norm.

By an optimization way similar to the FCM, J_m^Φ can be minimized under the constraint of U same as (2). Specifically, if we take its first derivatives with respect to u_{ik} and \mathbf{v}_i , and zero them, respectively, two necessary but not sufficient conditions for J_m^Φ to be at local minimum will be obtained as

$$u_{ik} = \frac{(1 - K(\mathbf{x}_k, \mathbf{v}_i))^{-\frac{1}{(m-1)}}}{\sum_{j=1}^c (1 - K(\mathbf{x}_k, \mathbf{v}_j))^{-\frac{1}{(m-1)}}} \quad (14)$$

$$\mathbf{v}_i = \frac{\sum_{k=1}^n u_{ik}^m K(\mathbf{x}_k, \mathbf{v}_i) \mathbf{x}_k}{\sum_{k=1}^n u_{ik}^m K(\mathbf{x}_k, \mathbf{v}_i)}. \quad (15)$$

It is evident that the obtained centroids or prototypes $\{\mathbf{v}_i\}$ still lie in the original space and not in the transformed higher dimensional feature space, thus, the computational simplicity is

still retained. In addition, it is shown that the KFCMs resulted from (11), i.e., (13), are robust to outliers and noise according to Huber's robust statistics [19], [23]. This characteristic can also give an intuitive explanation from (15), i.e., the data point \mathbf{x}_k is endowed with an additional weight $K(\mathbf{x}_k, \mathbf{v}_i)$, which measures the similarity between \mathbf{x}_k and \mathbf{v}_i , and when \mathbf{x}_k is an outlier, i.e., \mathbf{x}_k is far from the other data points, $K(\mathbf{x}_k, \mathbf{v}_i)$ will be very small, so the weighted sum of data points shall be suppressed and hence result in robustness. Our experiments also confirm that new algorithms are indeed more robust to outliers and noise than FCM.

C. FCM With Spatial Constraints Based on Kernel-Induced Distance (KFCM_S)

In this subsection, we will construct the corresponding kernelized version of the FCM_S algorithm. Similar to the derivation of KFCM, we kernelize criterion (3) and obtain the following new objective function through the newly-induced distance measure substitution

$$JS_m^\Phi = \sum_{i=1}^c \sum_{k=1}^N u_{ik}^m (1 - K(\mathbf{x}_k, \mathbf{v}_i)) + \frac{\alpha}{N_R} \sum_{i=1}^c \sum_{k=1}^N u_{ik}^m \sum_{r \in N_k} (1 - K(\mathbf{x}_k, \mathbf{v}_i)) \quad (16)$$

where $K(\mathbf{x}, \mathbf{y})$ is still taken as GRBF, N_k , \mathbf{x}_k , α and N_R are defined as before.

An iterative algorithm of minimizing (16) with respect to u_{ik} and \mathbf{v}_i can similarly be derived, as shown in (17) at bottom of the page.

In practical realization of the algorithm, we use (18b) to replace (18a), as shown at the bottom of the page, so as to further reduce the computation of (18a). In fact, such a simplification is not able to cause bad effective to clustering results as shown in our experiments.

$$\mathbf{v}_i = \frac{\sum_{k=1}^n u_{ik}^m \left(K(\mathbf{x}_k, \mathbf{v}_i) + \frac{\alpha}{N_R} \sum_{r \in N_k} K(\mathbf{x}_r, \mathbf{v}_i) \right) \mathbf{x}_k}{\sum_{k=1}^n u_{ik}^m \left(K(\mathbf{x}_k, \mathbf{v}_i) + \frac{\alpha}{N_R} \sum_{r \in N_k} K(\mathbf{x}_k, \mathbf{v}_i) \right)} \quad (18b)$$

$$u_{ik} = \frac{\left((1 - K(\mathbf{x}_k, \mathbf{v}_i)) + \frac{\alpha}{N_R} \sum_{r \in N_k} (1 - K(\mathbf{x}_r, \mathbf{v}_i))^m \right)^{-\frac{1}{(m-1)}}}{\sum_{j=1}^c \left((1 - K(\mathbf{x}_k, \mathbf{v}_j)) + \frac{\alpha}{N_R} \sum_{r \in N_k} (1 - K(\mathbf{x}_r, \mathbf{v}_j))^m \right)^{-\frac{1}{(m-1)}}} \quad (17)$$

$$\mathbf{v}_i = \frac{\sum_{k=1}^n u_{ik}^m \left(K(\mathbf{x}_k, \mathbf{v}_i) \mathbf{x}_k + \frac{\alpha}{N_R} \sum_{r \in N_k} K(\mathbf{x}_r, \mathbf{v}_i) \mathbf{x}_r \right)}{\sum_{k=1}^n u_{ik}^m \left(K(\mathbf{x}_k, \mathbf{v}_i) + \frac{\alpha}{N_R} \sum_{r \in N_k} K(\mathbf{x}_r, \mathbf{v}_i) \right)} \quad (18a)$$

Similarly, a kernelized modification to (6) is

$$JS_m^\Phi = \sum_{i=1}^c \sum_{k=1}^N u_{ik}^m (1 - K(\mathbf{x}_k, \mathbf{v}_i)) + \alpha \sum_{i=1}^c \sum_{k=1}^N u_{ik}^m (1 - K(\bar{\mathbf{x}}_k, \mathbf{v}_i)) \quad (19)$$

where $\bar{\mathbf{x}}_k$ is defined as before and directly viewed a data point in the original space to be mapped by Φ and thus can be computed in advance and stored. And the objective function in (19) is minimized using the following alternate iterations:

$$u_{ik} = \frac{((1 - K(\mathbf{x}_k, \mathbf{v}_i)) + \alpha(1 - K(\bar{\mathbf{x}}_k, \mathbf{v}_i)))^{-\frac{1}{(m-1)}}}{\sum_{j=1}^c ((1 - K(\mathbf{x}_k, \mathbf{v}_j)) + \alpha(1 - K(\bar{\mathbf{x}}_k, \mathbf{v}_j)))^{-\frac{1}{(m-1)}}} \quad (20)$$

$$\mathbf{v}_i = \frac{\sum_{k=1}^n u_{ik}^{ik} (K(\mathbf{x}_k, \mathbf{v}_i)\mathbf{x}_k + \alpha K(\bar{\mathbf{x}}_k, \mathbf{v}_i)\bar{\mathbf{x}}_k)}{\sum_{k=1}^n u_{ik}^{ik} (K(\mathbf{x}_k, \mathbf{v}_i) + \alpha K(\bar{\mathbf{x}}_k, \mathbf{v}_i))}. \quad (21)$$

In the rest of the paper, we name the algorithm using (17) and (18) as KFCM_S, the algorithms using (20) and (21) with mean or median filter as KFCM_S₁ and KFCM_S₂, respectively. The above algorithms can be summarized in the following unified steps.

Algorithm 2

- Step 1) Fix the number c of these centroids or clusters and then select initial class centroids and set $\varepsilon > 0$ to a very small value.
- Step 2) For KFCM_S₁ and KFCM_S₂ only, compute the mean or median filtered image.
- Step 3) Update the partition matrix using (17) (KFCM_S) or (20) (KFCM_S₁ and KFCM_S₂).
- Step 4) Update the centroids using (18b) (KFCM_S) or (21) (KFCM_S₁ and KFCM_S₂).

Repeat Steps 3)–4) until the following termination criterion is satisfied:

$$\|\mathbf{V}_{new} - \mathbf{V}_{old}\| < \varepsilon$$

where are \mathbf{V} defined as before.

The optimization flowcharts described in Algorithm 1 and Algorithm 2 are called a fixed-point iteration (FPI) or alternate optimization (AO) as in FCM and [23], the iteration process will terminate to the user-specified number of iteration or local minima of the corresponding objective functions. Consequently, optimal or locally optimal results can always be ensured.

IV. EXPERIMENTAL RESULTS

In this section, we describe the experimental results on several synthetic and real images. There are a total of eight

TABLE I
SA % OF EIGHT METHODS ON
SYNTHETIC IMAGE

	FCM	KFCM	FCM _S	KFCM _S	FCM _S ₁	KFCM _S ₁	FCM _S ₂	KFCM _S ₂
Salt&Pepper	96.92	96.92	98.19	99.83	98.28	99.67	98.17	99.69
Gaussian	93.97	94.58	99.83	99.89	99.72	99.81	99.86	99.86




Fig. 1. Comparison of segmentation results on synthetic test image. (a) Original image with “salt and pepper” noise. (b) FCM result. (c) KFCM result. (d) FCM_S result. (e) KFCM_S result. (f) FCM_S₁ result. (g) KFCM_S₁ result. (h) FCM_S₂ result. (i) KFCM_S₂ result.

algorithms used in this section, i.e., standard FCM, KFCM, FCM_S, KFCM_S, FCM_S₁, KFCM_S₁, FCM_S₂, and KFCM_S₂. The kernel used in KFCM_S, KFCM_S₁ and KFCM_S₂ is the Gaussian RBF kernel. Note, that the kernel width σ in Gaussian RBF has a very important effect on performances of the algorithms. However, how to choose an appropriate value for the kernel width in Gaussian RBF is still an “open problem.” In this paper, we adopt the “trial-and-error” technique and set the parameter $\sigma = 150$. We also find that for a wide range of σ around 150 (e.g. from 100 to 200), there seem no apparent changes in results. Thus, we use this constant value in all experiments throughout the paper. In addition, we set the parameters $m = 2$, $\varepsilon = 0.001$, $N_R = 9$ (a 3×3 window centered around each pixel, used in FCM_S and KFCM_S only) in the rest experiments.

Our first experiment applies these algorithms to a synthetic test image. The image with 64×64 pixels includes two classes with two intensity values taken as 0 and 90. We test the algorithms’ performance when corrupted by “Gaussian” and “salt and pepper” noises, respectively, and the results are shown in Table I and Fig. 1. Table I gives the segmentation accuracy (SA) of the eight algorithms on two different noisy images, where SA is defined as the sum of the total number of pixels divided




Fig. 2. Comparison of classification errors on synthetic image with "Gaussian" noise under different values of α .




Fig. 3. Comparison of classification errors on synthetic image with "salt and pepper" noise under different values of α .

by the sum of number of correctly classified pixels [9]. Fig. 1 shows the result on "salt and pepper" noise corrupted image. Here the parameters $c = 2$, $\alpha = 3.8$. From Table I and Fig. 1, KFCM achieves nearly the same result as FCM, and neither can algorithm remove the disturbances of noises due to no spatial information used in both algorithms. On the other hand, the kernel versions with spatial constraints are superior to the corresponding classical algorithms, especially on the "salt and pepper" corrupted image.

We take a set of values for α to test its effect on performance. Figs. 2 and 3 show the comparisons of classification errors of FCM_S, KFCM_S, FCM_S1, KFCM_S1, FCM_S2, and KFCM_S2 under different values of α on the synthetic image corrupted by "Gaussian" and "salt and pepper" noises respectively. From Fig. 2, as α increases, the numbers of misclassified pixels of all six algorithms reduce under "Gaussian" noises, and there are no apparent changes after $\alpha = 3$. It can also be seen from Fig. 2 that the kernel version algorithms are superior to the corresponding classical algorithms. According to Fig. 3, we know that under "salt and pepper" noises, the kernel version algorithms, i.e. KFCM_S, KFCM_S1, and KFCM_S2, still achieve much better performance than FCM_S, FCM_S1,




Fig. 4. Comparison of segmentation results on a real image corrupted by hybrid "Gaussian" and "salt and pepper" noise. (a) The original noisy image. (b) FCM result. (c) KFCM result. (d) FCM_S result. (e) KFCM_S result. (f) FCM_S1 result. (g) KFCM_S1 result. (h) FCM_S2 result. (i) KFCM_S2 result.

and FCM_S2. From Fig. 3, for KFCM_S and KFCM_S2, there are no apparent changes after $\alpha = 3$, implying performance to be stable, and most of these algorithms reach minima between $\alpha = 3$ and $\alpha = 4$.

Fig. 4 presents a comparison of segmentation results on a real image [20]. Fig. 4(a) is the original image corrupted by "Gaussian" and "salt and pepper" noise simultaneously. Fig. 4(b)–(i) show the results applying the eight algorithms




Fig. 5. Comparison of segmentation results on a simulated brain MR image. (a) Original T1-weighted image. (b) Using FCM. (c) Using KFCM. (d) Using FCM_S. (e) Using KFCM_S. (f) Using FCM_S₁. (g) Using KFCM_S₁. (h) Using FCM_S₂. (i) Using KFCM_S₂.

on Fig. 4(a), respectively. We use $c = 2$ and $\alpha = 3.8$ in the experiment. In this case, the margins of the segmented image of FCM_S₁ and KFCM_S₁ are a little blurred because of the use of mean filter. It can be easily seen that KFCM_S, KFCM_S₁ and KFCM_S₂ achieve much better segmentation in the presence of hybrid noise, compared to the corresponding FCM_S, FCM_S₁ and FCM_S₂ algorithms.

Figs. 5 and 6 present a comparison of segmentation results of the eight algorithms applied on T1-weighted MR phantom [32]. We use a high-resolution T1-weighted phantom with slice thickness of 1 mm, 3% noise and no intensity inhomogeneities. Two slices in the axial plane with the sequence of 121 and 91 are shown in Fig. 5(a) and Fig. 6(a), respectively. The segmentation results on two slices using the eight methods with eight classes are shown in Figs. 5(b)–(i) and 6(b)–(i), respectively. And Table II gives the quantitative comparison scores corresponding to Figs. 5(a) and 6(a) using eight methods for gray matter, white matter and cerebrospinal fluid, where the comparison scores are calculated as

$$s_{ij} = \frac{A_{ij} \cap A_{refj}}{A_{ij} \cup A_{refj}}$$

where A_{ij} represents the set of pixels belonging to the j th class found by the i th algorithm and A_{refj} represents the set of pixels belonging to the j th class in the reference segmented image. In the experiment, we use the parameter $\alpha = 0.8$ for all algorithms with spatial constraints. From Figs. 5 and 6 and Table II, the kernel version algorithms outperform the corresponding classical algorithms.




Fig. 6. Another simulated brain MR image example. (a) Original T1-weighted image, (b) using FCM, (c) using KFCM, (d) using FCM_S, (e) using KFCM_S, (f) using FCM_S₁, (g) using KFCM_S₁, (h) using FCM_S₂, (i) using KFCM_S₂.

TABLE II
COMPARISON SCORES OF EIGHT METHODS FOR FIGS. (5a) AND (6a)

	Fig. 3(a)			Fig. 4(a)		
FCM	0.9229	0.5412	0.5170	0.9088	0.4606	0.6576
KFCM	0.9317	0.6485	0.8422	0.9301	0.6293	0.8780
FCM_S	0.7944	0.0076	0.2254	0.7943	0.0102	0.3177
KFCM_S	0.9314	0.6592	0.8966	0.9350	0.7016	0.9173
FCM_S ₁	0.9526	0.6965	0.8828	0.9492	0.6790	0.8732
KFCM_S ₁	0.9557	0.7490	0.9190	0.9532	0.7380	0.9155
FCM_S ₂	0.9437	0.6612	0.8001	0.9391	0.6552	0.8861
KFCM_S ₂	0.9494	0.7084	0.9026	0.9443	0.6911	0.9198

To test the performances of the eight algorithms under other levels of noises on the simulated brain database [32], we do the following comparison experiments. Figs. 7 and 8 show the relationship between the comparison scores of the eight algorithms and noise levels on two image slices in the axial plane with the sequence of 121 and 91, respectively. Obviously, as the level of noises increases, performances of most algorithms gradually degrade, but the kernel version algorithms still surpass the corresponding classical ones.

Figs. 9 and 10 show the comparison of segmentation results on real T1-weighted MR images with artificially added “Gaussian” and “salt and pepper” noises, respectively. Note that MR images typically do not suffer from “salt and pepper” noise, and we add such type of noise just for the comparison of robustness to noises of different algorithms. We do not consider KFCM algorithm in this experiment, because without spatial constraints, KFCM has the similar performance as that of FCM, as shown in Figs. 1 and 2. Figs. 9(b)–(i) and 10(b)–(i) show segmentation results from applying the seven algorithms on Fig. 9(a) and Fig. 10(a), respectively. Here the parameters




Fig. 7. Comparison scores of eight methods on simulated brain MR image under different level of noises.




Fig. 8. Comparison scores of eight methods on another simulated brain MR image under different level of noises.

$c = 3$, $\alpha = 3.8$ are used in the experiment. From Figs. 9 and 10, FCM_S and KFCM_S have bad performance in the presence of “Gaussian” noise, while FCM_S1, FCM_S2, KFCM_S1, and KFCM_S2 achieve satisfactory results and the latter two are a little superior to the former two algorithms. On the other hand, when “salt and pepper” noise is added, only KFCM_S and KFCM_S2 work well, while the other algorithms fail to remove the effect of added noises. On the whole, KFCM_S2 algorithm achieves better segmentation results under both noises.

Finally, Table III gives the comparison of the running time on two MR images [see Figs. 5(a) and 6(a)] using FCM_S, KFCM_S, FCM_S1, KFCM_S1, FCM_S2 and KFCM_S2. We artificially add “Gaussian” and “salt and pepper” noises on both MR images and perform experiments on an IBM computer with 1.7 GHz Pentium processor using MATLAB (Mathworks, Inc., Natick, MA). From Table III, our proposed FCM_S1 and FCM_S2 are much faster than the original FCM_S (typically 3–10 times faster), while their corresponding kernelized versions (KFCM_S1 and KFCM_S2) need no less run-time than KFCM_S in most cases, but still less than original FCM_S algorithm.




Fig. 9. Brain MR image segmentation example. (a) Original image with “Gaussian” noise. (b) FCM result. (c) FCM_S result. (d) KFCM_S result. (e) FCM_S1 result. (f) KFCM_S1 result. (g) FCM_S2 result. (h) KFCM_S2 result.

V. CONCLUSION

The well-known “kernel methods” has been recently applied to unsupervised clustering [18], [21], [22]. However, an unfavorable point of these existed kernel clustering algorithms is that the clustering prototypes lie in high dimensional feature space and hence clustering results are not easily interpreted as intuitively as in the original space. In this paper, based on one of our early works [22], we use a group of novel fuzzy clustering algorithms based on a family of kernel-induced distance measures for image segmentation. We discussed three types of spatial constraint on the objective function of original FCM to effectively segment images corrupted by noise and outliers. Synthetic and real images were used to compare the performances of these algorithms including segmentation evaluation and run-time requirements. On the whole, KFCM algorithms with spatial con-




Fig. 10. Another brain MR image segmentation example. (a) Original image with "salt and pepper" noise. (b) FCM result. (c) FCM_S result. (d) KFCM_S result. (e) FCM_S₁ result. (f) KFCM_S₁ result. (g) FCM_S₂ result. (h) KFCM_S₂ result.

TABLE III
COMPARISONS OF RUNNING TIME OF SIX ALGORITHMS ON TWO
MR IMAGES ($\times 10^3$ s)

		FCM_S	KFCM_S	FCM_S ₁	KFCM_S ₁	FCM_S ₂	KFCM_S ₂
Slice 1	Gaussian	1.6729	1.2056	0.2673	1.2458	0.2135	1.3797
	Salt & Pepper	1.5637	2.1205	0.5722	1.7527	0.5870	1.3920
Slice 2	Gaussian	2.4367	0.7930	0.3488	2.3074	0.2275	1.0275
	Salt & Pepper	3.4214	0.7027	0.3554	1.5369	0.3036	1.2005

straints (SC) have more robustness to noise and outliers than their counterparts without SC. In our opinions, we suggest using KFCM_S₂ algorithm in practice considering the tradeoff between robustness to different noises and execution speed.

The results reported in this paper show that the kernel method is an effective approach to constructing a robust image clustering algorithm. This method can also be used to improve the performance of other FCM-like algorithms based on adding some type of penalty terms to the original FCM objective function. Our further and ongoing works include clustering validity in our algorithms, adaptive determination for the clustering number and other applications, e.g., gain field estimation.

ACKNOWLEDGMENT

The authors would like to thank the anonymous reviewers for their constructive comments.

REFERENCES


- [1] J. C. Bezdek, L. O. Hall, and L. P. Clarke, "Review of MR image segmentation techniques using pattern recognition," *Med. Phys.*, vol. 20, pp. 1033–1048, 1993.
- [2] D. L. Pham, C. Y. Xu, and J. L. Prince, "A survey of current methods in medical image segmentation," *Annu. Rev. Biomed. Eng.*, vol. 2, pp. 315–337, 2000.
- [3] W. M. Wells, W. E. L. Grimson, R. Kikinis, and S. R. Arridge, "Adaptive segmentation of MRI data," *IEEE Trans. Med. Imag.*, vol. 15, pp. 429–442, Aug. 1996.
- [4] J. C. Bezdek, *Pattern Recognition With Fuzzy Objective Function Algorithms*. New York: Plenum, 1981.
- [5] D. L. Pham and J. L. Prince, "An adaptive fuzzy C-means algorithm for image segmentation in the presence of intensity inhomogeneities," *Pattern Recognit. Lett.*, vol. 20, pp. 57–68, 1999.
- [6] Y. A. Tolias and S. M. Panas, "On applying spatial constraints in fuzzy image clustering using a fuzzy rule-based system," *IEEE Signal Processing Lett.*, vol. 5, pp. 245–247, Oct. 1998.
- [7] —, "Image segmentation by a fuzzy clustering algorithm using adaptive spatially constrained membership functions," *IEEE Trans. Syst., Man, Cybern. A*, vol. 28, pp. 359–369, May 1998.
- [8] A. W. C. Liew, S. H. Leung, and W. H. Lau, "Fuzzy image clustering incorporating spatial continuity," *Inst. Elec. Eng. Vis. Image Signal Process.*, vol. 147, pp. 185–192, 2000.
- [9] M. N. Ahmed, S. M. Yamany, N. Mohamed, A. A. Farag, and T. Moriarty, "A modified fuzzy C-means algorithm for bias field estimation and segmentation of MRI data," *IEEE Trans. Med. Imaging*, vol. 21, pp. 193–199, Mar. 2002.
- [10] D. L. Pham, "Fuzzy clustering with spatial constraints," in *IEEE Proc. Int. Conf. Image Processing*, New York, Aug. 2002, pp. II-65–II-68.
- [11] K. R. Muller and S. Mika *et al.*, "An introduction to kernel-based learning algorithms," *IEEE Trans. Neural Networks*, vol. 12, pp. 181–202, Mar. 2001.
- [12] N. Cristianini and J. S. Taylor, *An Introduction to SVM's and Other Kernel-Based Learning Methods*. Cambridge, U.K.: Cambridge Univ. Press, 2000.
- [13] V. N. Vapnik, *Statistical Learning Theory*. New York: Wiley, 1998.
- [14] B. Scholkopf, *Support Vector Learning*. R. Oldenbourg Verlag, 1997.
- [15] V. Roth and V. Steinhage, "Nonlinear discriminant analysis using kernel functions," in *Advances in Neural Information Processing Systems 12*, S. A. Solla, T. K. Leen, and K.-R. Muller, Eds. Cambridge, MA: MIT Press, 2000, pp. 568–574.
- [16] B. Scholkopf, A. J. Smola, and K. R. Muller, "Nonlinear component analysis as a kernel eigenvalue problem," *Neural Comput.*, vol. 10, pp. 1299–1319, 1998.
- [17] T. M. Cover, "Geomeasureal and statistical properties of systems of linear inequalities in pattern recognition," *Electron. Comput.*, vol. EC-14, pp. 326–334, Mar. 1965.
- [18] D. Q. Zhang and S. C. Chen, "Kernel based fuzzy and possibilistic c-means clustering," in *Proc. Int. Conf. Artificial Neural Network*, Istanbul, Turkey, June 2003, pp. 122–125.
- [19] P. J. Huber, *Robust Statistics*. New York: Wiley, 1981.

- [20] Mathworks, Natick, MA. Image Processing Toolbox. [Online] Available: <http://www.mathworks.com>
- [21] M. Girolami, "Mercer kernel-based clustering in feature space," *IEEE Trans. Neural Networks*, vol. 13, pp. 780–784, May 2002.
- [22] D. Q. Zhang and S. C. Chen, "Fuzzy clustering using kernel methods," in *Proc. Int. Conf. Control Automation*, Xiamen, P.R.C., June 2002, pp. 123–127.
- [23] K. L. Wu and M. S. Yang, "Alternative c-means clustering algorithms," *Pattern Recognit.*, vol. 35, pp. 2267–2278, 2002.
- [24] J. H. Chen and C. S. Chen, "Fuzzy kernel perceptron," *IEEE Trans. Neural Networks*, vol. 13, pp. 1364–1373, Nov. 2002.
- [25] J. Leski, "Toward a robust fuzzy clustering," *Fuzzy Sets Syst.*, vol. 137, no. 2, pp. 215–233, July 2003.
- [26] J. K. Udupa and S. Samarasekera, "Fuzzy connectedness and object definition: theory, algorithm and applications in image segmentation," *Graph. Models Image Process.*, vol. 58, no. 3, pp. 246–261, 1996.
- [27] S. M. Yamany, A. A. Farag, and S. Hsu, "A fuzzy hyperspectral classifier for automatic target recognition (ATR) systems," *Pattern Recognit. Lett.*, vol. 20, pp. 1431–1438, 1999.
- [28] R. J. Hathaway and J. C. Bezdek, "Generalized fuzzy c-means clustering strategies using L_p norm distance," *IEEE Trans. Fuzzy Syst.*, vol. 8, pp. 576–572, Oct. 2000.
- [29] K. Jajuga, " L_1 norm based fuzzy clustering," *Fuzzy Sets Syst.*, vol. 39, no. 1, pp. 43–50, 1991.
- [30] J. Leski, "An ε -insensitive approach to fuzzy clustering," *Int. J. Appl. Math. Comp. Sci.*, vol. 11, no. 4, pp. 993–1007, 2001.
- [31] D. Q. Zhang and S. C. Chen, "Clustering incomplete data using kernel-based fuzzy c-means algorithm," *Neural Processing Lett.*, vol. 18, no. 3, pp. 155–162, 2003.
- [32] R. K. S. Kwan, A. C. Evans, and G. B. Pike, "An extensible MRI simulator for post-processing evaluation," in *Visualization in Biomedical Computing (VBC'96). Lecture Notes in Computer Science*. New York: Springer-Verlag, 1996, vol. 1131, pp. 135–140.
- [33] A. W. C. Liew and H. Yan, "An adaptive spatial fuzzy clustering algorithm for 3-D MR image segmentation," *IEEE Trans. Med. Imag.*, vol. 22, pp. 1063–1075, Sept. 2003.



Songcan Chen received the M.S. degree in computer science from Shanghai Jiaotong University, Shanghai, R.O.C., and the Ph.D. degree in electronics engineering from Nanjing University of Aeronautics and Astronautics (NUAA), Nanjing, R.O.C., in 1985 and 1997, respectively.

Currently, he is Professor of pattern recognition and artificial intelligence in the Department of Computer Science and Engineering, NUAA. His research interests include pattern recognition, bioinformatics, medical image processing, and neural networks. He has published more than 50 journal papers on pattern recognition, pattern recognition letters, artificial intelligence in medicine, neural processing letters, and applied mathematics and computation.



Daoqiang Zhang received the B.S. and Ph.D. degrees in computer science from Nanjing University of Aeronautics and Astronautics, Nanjing, P.R.C, in 1999 and 2004, respectively. He is currently a post-doctoral fellow in the Department of Computer Science and Technology, Nanjing University, Nanjing.

His research interests include neural computing, pattern recognition, and image processing. He has published more than 20 journal and conference papers.